## SUPPLEMENT TO

# The Gazette



## of **Endia**

No. 44 ]

## NEW DELHI, SATURDAY, NOVEMBER 14, 1953

### OFFICIAL PAPERS

nel orted attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th October, 1953.

<del></del>	Оно	L.W.B.▲	Smali	POX.	PLA	.GUB		_		Онс	)LEGA	SMA	LLPOX	Pı₄	,GUH
	O.	D,	0.	D.	o,	D.				o.	D,	O.	D,	C.	D,
STATES :	P <b>ART</b> (A	A) & P	ART (	3)					В	omb <b>ay</b> -	-contd.				
	Atı	mer					Surat .	•		. 9	1	_		₩	_
T'OTAL			_		_		Thana .			. 53	28	<del>.</del> -		**	<b></b>
Estd. mid-year pop. 717		_	_				Satara South			84	32		••		
thousands).			,				Ahmedneger			. 43	7	2			_
otal for w/e 10-10-53		-	-	-	• •		Bast Khande		-	. 2	· I	-	•.•		-
otal for w/e 3-10-58		••	••	• •		-			•	, Z	1				-
-yearly mean for the week		• •	••	٠.	••	••	West Khande	ssh ,	•	•	7		444	-	••
_	Andh						Amreli .	• •	• ,		_				••
Retr	irn not r	eceived	•				Nasik .	•	•	. 90	33	17	2		
	Ass	<b>å</b> m					Poona .			. 84	35	5	• •		
Total	• ••	••	••	•	-		Satara North		_	. 149	44		••	_	••
Estd, mid-year pop.							Sholapur	•	•		88	_		••	••
9,488 thousands).							· ·	• •	•	. 81	33	••	***	-	••
' 1 for w/e 10-10-58	•	***	-	404	-	-	Sabarkantha	•			••	• •		•	••
otal for w/s 3-10-58	•	••	• •	-	-	-	$\mathbf{Bolgaum}$			1 <b>3</b> 2	63	-	-	-	• •
-yearly mean for the	8	4	••	••	_	_	Bijapur	•	٠.	. 78	33		-		
week.							Dharwar	•	-	17	13			**	
	Bho	pal					Kanara			3		•=	-		
Total		616	••	••	_		Ratnigiri	•	•	• 1	1	••	• •	••	••
Estd. mid-year pop.							Rolaba .	-		7	3	••	• •		• 1
850 thousands) Total for w/s 10-10-53							$\mathbf{K}$ olh $\mathbf{e}_{\mathbf{p}}$ uı	٠,		212	64	••	-		••
	•	••	**		••	••	Baroda .				-		• •	••	
Fotal for w/e 3-10-53	• ••	••	••	••	••	••	Navsari						•		
-yearly mean for the week	. 6	2		-	_	••	Dangs .					_,			
	Bi	har					-						•	-	••
R	eiurn no		ed.				Malwan	•	•	• ••	-		-	• •	••
							Mehsana		•	•	• 1	•	_	-	
	Bon	bay					Banaskantha	•	•	• • •	***	_	•		~
	o	•	a					TOTAL	L	1,062	400	26	2	-	-
Greater Bombay .	, 6	3	2	_	-	-	(Estd. mid-) 37,445 thou	year	pop.						
Ahmedabad			••	• •	•	***									
Kaira				••	**	J	Total for w/e	10-10-	5 <b>8</b> .	988	339	13	2	-	-
	47	ρ					Total for w/e	3-10-	58 .	942	303	18	7		
Brosch	. 11	6			-	-	7-yearly u	nean	for	•			_		
Panch Mahals		***	<u>.</u>	••	-	-	the week		1	82	27	31	7	41	8
		P	Explana	tion of	Symb	ols 12300	1 : O Cases ;	1), 🕳 De	eaths.						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th October, 1953—contd.

				ULD		0000001, 1000 -00000						
	CHOLER	д 8ил	LLPOX	PLA	<b>603</b>		Снов		SMALL	<b>FOX</b>	PLAC	A CR
	o. 1	D. C.	D.	C.	D.		σ.	D.	Ç.	D.	o.	D,
	Coorg						Orissa					
Total .				Leg.	••	Outtack	21	13	2			••
(Estd. mid-year pop.						Balasore	1	1	••	_		
243 thousands.)						Puri				_	_	_
Total for w/e 10-10-53 .	** **	•	_	••	-	Sambalpur	-	_	2	••	_	••
Total fer w/s 3-10-53 .  7-yearly mean for	•• ••	-	••	••	-	<u>-</u>		••	2			-
the week		••	••		-	Khondmals			+10	•		
	Delhi					Ganjam Plains	17	16	••	••	••	
TOTAL .				_	_	Ganjam Agency	1	-	4.	••	••	•
(Estd. mid-year pop. 1,744						Koraput ·	38	22	-	••	P=	•
thousands.) Total for w/e 10-10-53						Keonjhar	6	4	-		-	<b>-</b> ,
Total for w/e 3-10-53 .	_		•••	_	-	Dhenkanal	••	••	••	_	_	
7-yearly mean for the week			••		_	Bolangir Patna		0.40	••	••		•••
H	machal P	eadeah				Sundergarh		_	• •	_		_
	urn not r					Kalahandi	9	5	4	_	_	_
	ladhya Pr					Angul			_	_		_
		16				Mayurbhanj			-	_	_	
Nagpur					<u>-</u>	Total .	88	· 61	8	••	•••	••
Chanda		13 _	_	_	_			01	•	••	~	
Chhindwara	••	🕳		_		(Estd. mid-year pop. 14,849 thousands.)						
Betul	-		***	-	_	Total for w/e 10-10-58 .	102	63	6	• •	_	_
Bhandara	122	43 -	-	2	_	Total for w/e 3-10-53 .	81	28	25	1	_	-
Jabalpur	15	7 _	-	**	~	7-yearly mean for the week	24	15	35	4	_	-
äagar	-		-	-	-							
Mandla	22	13 _	_	~	_		Punjah	(4)				*
Hoshangabad	6	3 _	~	_	_	Hissar	-	-	4.4	4.7	-	-
Balaghat	15	4 _	_	1	-	Rohtak		_	••	••	~	-
Reipur	••		_	••	_	Karnal · · ·	_	_	••	1	<b>-</b>	
Bilaspur	••		-	-	-	Ambala	<b>p4.9</b>	_	••		<u> </u>	<del>-</del>
Durg	6	5	••		-	Simla	_	-	-		***	-
Bastar	_		••	_	-	Kangra · · · .	<b>#13</b>	~				
Surguja	<b>a</b>	 - ··	_	-	-	Hoshlarpur	-	-	••	-	-	-
Amravati		15	-	_	_	Juliundur		-	••	••	-	
Yeotmal	11	4 _	••	***	_	Ludhiana		-	• •	••	-	-
Akola		<b>-</b>	-	_	_	Ferozepur			••	••	-	-
Buldana	21	12 -	-	•••	-	Gurdaspur	 y-e	**	•••	**	**	-
TOTAL	317 1	35 🚤	-	3	_	Total .	مد	• •		1	_	:
(Estd. mid-year pop. 21,724 thousands.)						Entd. mid-year pop.		••		•	• •	
Total for w/e 10-10-58 .	628 29	99 12	1	1	1	12,649 thousands.)						
Total for w/e 3-10-53		34	••	16	2	Total for w/e 10-10-58	-	-	••	••	404	_
7-yearly mean for the week	96 4	4 16	2	29	6	Total for w/e 3-10-58	2	1	1	• •		
	Madras					7 yearly mean for the	:•	••	••	_	••	• •
Reiu	rn not rec						ma.	_				
	Manipu	:				Total	Tripue	ri.				
TOTAL .	u st.		••	• •		(Estd. mid-year pop.	••	••	••	••		
(Estd, mld-year pop. 595 thousands.)						682 thousands)						
Total for w/e 10-10-58 .		1	••		••	Total for w/e 10-10-58	• •	-	-	_	<i>r</i> -	-
Total for w/s 3-10-53 .	••	• ••		•	•••	Total for w/e 3-10-53	••	**	***	-	1.4	•-
			Kaple	nation (	of Sym	bols used :CCase ; DDec	ting.					

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th October, 1953—contd.

						1	the 17	th O	ctober,	1953—contd.			
				Спо	LERA	8ma	LLPOX	PL	.ασ»	Cholera Sm	ALLPOX	PLAG	<b>UB</b>
	- <b>-</b>			O.	D,	C.	D.	O.	$\mathbf{D}_{ullet}$	C. D. C	. D.	C.	D.
				_									
Dehra Dun			Utti	u Pri	idesh					Uttar Pradesh—contd	•		
	•	•	•	-	-	_	_			Kheri		9	••
Saharanpur		•	•	_	**		<u>-</u>		1-4	Feizebed	• ••	_	-
Museffernager	•	•	•	_	***		444		<b>V</b> ER	Gonda	,	_	-
Meerut .	•	٠	•	•••		130	-	-	·-	Bahraich	-	-	we .
Bu'an lahahr	•	•		15	9			-		Sultanpur		-	•••
Aligarh		•	•			-		_	-	Pratapgarh	· -		•
M .thora		•	٠	_		***	••			Bara Banki 9 5 _		••	••
Agra		•	٠		•	••	***	-	-A	Rampur 8 1 .	* ***	•	•
: Nainpuri		•	•	-		-		•••	*-4	TOTAL 91 53			
Etah		•	•	••				-	_	(Estd. mid-year pop. 64,826			
Baroilly .	٠	•	•	-	***	-	•	-	_	thousands.)			
Bijnor -	•	•	•	-	4.0		-		-	Total for w/e 10-10-58 4 128 90	-	_	-
Budaun .	٠		•	2	2	-	••	-	-	Total for w/e 3-10-53 . 190 105 3	••	3	
Moradabad	•	•	•	~	••		-	4.4		7-yearly mean for the week. 287 135 5	2	21	6
Shahjahanpur	•	٠	•	5	1	••	-	••	•••				
Рінbbit .			•	-	• •		-	-	4	Vindhya Pradesh			
Farrukhabad	•	•	•	3	6	-	••			TOTAL . 4 2	••	_	_
Etawah .	•	•	•			-			-	(Estd. mid-year pop.			
Kanpur .			•	-	40	-	••		-	3,630 thousands.)			
Fatchpur .		•	•	13	8		.,.	-	•••	Total for w/e 10-10-53 84 40	•.•	_	-
*Allahabad			•			_	-	-	••	Total for w/e 3-10-53 31 13			
Jhansi .		•		_	••	_	-		••	10th 10r W/8 0-10-03	••	-	_
Jalaun				-		-		-	0.0	West Bengal			
Hamirpur					_	_	-	-	••	Return not received.			
Banda				_	•=	_		-					
Banaras .			•				•••	_	••	Grand Total for States Parts (A) & (C) (excluding Andhra, Himachal Pradesh,			
Mirzapur .				_	_	••	-	_	••	Behar, Madras and		0	
Jaunpur .				8	1	_	-		0.4	West Bengal) . 1,562 651 34	. 8	3	m-8
Ghazipur .				16	7			_	٠	Corresponding (Estd. mid-year pop. 16,942			
Ballia .					***	_		_	••	thousands.)			
Gorakhpur		_		_	_	_	_	<b>0:0</b>		Corresponding Total for w/c 10-10-53 1,925 831 3:	2 3	1	I
_	•	•	_	4	2	••		••	0,0	Corresponding Total for w/s			
Deoria .	•	•	•		_	_	_	_		3-10-53 2,007 834 47	8	19	1
Basti	•	•	•		<u>.</u> .				••	Corresponding 7-yearly		404	•
Azamgarh	•	•	•	-	_		••	_	_	mean for the week • 503 227 77	15	101	20
Nainital .	•	•	•	4.0	•	•=		_		STATES PART (B)			
Almora .	•	•	•	-		•	••			Hyderabad			
Garhwal -			•	_	•••	***		<del>-</del>	- <del></del>	Return not received.			
Luoknow .	•	•	•		**	-	-	•.4	_	Jammu and Kashmir	•		
Unao .	•	•	•	-	-		•••	-	سد	Reiurn not received.			
Rae Bareli	•	•	•	5	8	••	_	••	••				
Sitapur .	•	٠	•	•	••	***	g val.	••	-	Madhya Bharat Return not received.			
Fardoi .	•	•	-	8	5	-	••	-1	-	ALGERT IS THOSE TOUGHUES.			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th October, 1953—concid.

				Ово	LEPA	Вжа	LLJQX	Pt	AGUB					Оноци	B▲	SMAL	LPO <b>X</b>	Pu	AGU F
	_	-		c.	r.	C.	D.	C.	Ď.			•		σ,	D.	C.	D.	c.	D
					Mysols									West	Benge	al			
Bangalore		4	٠	113	41	••	• •	-	-						8-10 <b>-</b> 5				
Chikmagalu	r.			• •	••	••	*14	_	-										
Chitaldrug		•	•				-	_	_	Burdwan	•	•	•	8	5	3	1	• •	••
Bellary	4	•	•	41	14	• •	••	• •	• •	Bankura	•	•	•	18	11	••		• •	••
Hassen .			•	**	***	• •	_	• •	-	Howrah	•	•	-	13	5	• •	••	<del></del>	
Kadur	•	•	•	••	••	••	_	• •		24-Parganas		•	•	4	2	• •	• •		• •
Kolar .		•	٠	52	36		• •	2	2	Calcutta	•	•		6	3	2	1	••	• •
Mandya			•	6	5	• •	410	••	• •	Murshidabad		•	•	2	3	• •	••	• •	
Mysore							·	1		West Dinajpur				23	5	••	••		••
Shimoga		*	•	-	0,ra		• •	_	_	7	OT.	ı,		74	34	ð	2	_	. •
Tamkur			•	••	• •	4	1		••										
		TOTAL		212	96	4	1	3	2		Pai	tia1a	and E	ast Pu	ijab St	ates T	nion		
		Patial	a &	East I	enjab i	States 1	Jnion							ماس	3-10-5	9			
Total		_						_		Ton	DAT.			wje	3-10-0	0			
		-		Rai	asthan	_		-	-•	102	LAL	•		••	··	• •	• • •	••	••
			R		iot recei	ined								TYI	PHU8				
					rashtra	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Place				Per	lod			O	8 <b>6</b> 8
TOTAL				J., L.	- M-11-Y =					Punjab (I)			8t	h Oct.	1953			1 (M	
10111	•	•	•	Trave	ncore-(	Mohin	••	_	-	Greater Bomb			01	n Comt				bor 1 (Non-	
Te	TAL			35	19	61	29			Greener Bottling	ну	•	2	9 Sept	. ,,			borne	
	***	.II			dhya Pı			•.•						_					
Irand total	for	State	•=		_										OMAE				
Part (B)				247	115	65	30	3	2	(Informati		beas	on pa	tients	treate	d in ho	spita	a in im	portant
Grand total	for	State	99	7 OOO 1	Haa	40		0	•	towns	)			Per	la t			~	eses
Parts (A), (	D) E				766 70 B 7	99 4 470 7 C	93	6	2	Place Uttar Pradesh			7_			.ov 10	T 9	_	
					VFORI		'IV			Ottar Pradesh			16-	15 Se	htemp		0.0		retio)
	Page 1		istd	an w	/e 10≠10	J-08				#) *D\$1- (T)					tohor.	"		12 (	` `
	Т	OTAL	•		• ••	••	-	•	<del>-</del>	Punjab (I)			1	-15 Oo	1900	37		22 (	,, )

Explanation of Symbols used :-- Cases ; D.-Deatha.

New Delhi-2 (India);

K. MITRA,

for Registrar General, India.

The 9th November, 1963.

## TODAY'S BEST INVESTMENT FOR SMALL SAVERS

## NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. This, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income\_tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercare (Coorg).

31/2%

# TEN-YEAR TREASURY SAVINGS. DEPOSITS o

For further information end/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simia-3.

AC 444

Buths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th October, 1953

1

2

14

26

22.7

32.0

5

ň

32

42

29

15

47.1

18.6

Nandurbar Malegaon†

Mire

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup>Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th October, 1953—contd.

Deaths from 1-

т	OFF				lyear 198 opnEst.		D ^ *	^		, ,	·	v.	D.D.	B.D	Mr P	W-1-1	D Po B	<b>.</b> T
	<b>-</b>		4 -		(000)	B,	B,R.*	O.	2	. I		v.	D.D.	B,D	M.D.	Total	D.R.	Ι, Ι
	Bom	bay-	-conte	3.														
Nadiad Nasik Navasari	:	:	:	:	: 1	66 107 47	46 82 36	85·8 89·8 89·8	••	••	••	9 5 2	••	8	••	25 80 18	19·5 14·6 14·4	
endharpur					•	42	41	50.7				7 9	. <b>5</b>	7 4	••	27 19	83.4	
Patan Poona	:	:	:	:	: (	45 539	$\begin{smallmatrix} 34\\297\end{smallmatrix}$	38-9 28-6	::	•••	::	4	3	30	4	171	$   \begin{array}{c}     21 \cdot 4 \\     16 \cdot 5   \end{array} $	4
langli latara lholapur	:	:	:	:	•	54 39 281	43 35 203	41·4 46·7 37·6	3  1	••	••	5 6 16	$\begin{array}{c} 1\\2\\29\end{array}$	$\begin{array}{c} 7\\4\\52\end{array}$	i 	$\begin{array}{c} 22 \\ 24 \\ 194 \end{array}$	21·4 32·() 35·9	
urat		•				85	228	49.4	••		••	15	1	11	1	82	18.1	2
Thana†	To	TAL		•	. 3,0	03 2	,623	37.8	23	••	••	197	81	262	11	1,376	19-8	34
	104	lhi			•													
Delhi City New Delhi I.A.C. Civil		:	olh:	:	. 1	006 319 98	623 220 76	32 · 2 35 · 9 40 3	••	• •		69 9 1	1 2 2	18 11 2	1 	131 41 12	6 · 8 6 · 7 6 · 4	:
elhi Cantt.		·	•		. ,	15 34	12 42	13.8 63.7		•••	••	i'	•	•		4	6 1	,
Delhi Shahd	аги	To	TAL	٠.		502	978	33.7	••	••	•••	80	5	31	1	188	6.5	(
м	adhys	Prac	lesh															
ohalpur kola Amravati	•	•	,	•	37 96 93	88 61 85	53 • 4 33 • 6 47 • 5	)	••	•••	-	2 8 10	2 4 5	 4 4	1	14 34 44	19.7 18.4 24.6	10
Bil <b>es</b> pu <b>r</b> Burhanpur Shanda	:	•		•	. 39 . 74 . 42	26 44 36	34·7 30·9 44·6					6 19 7	3 3	2 2 25	••	21 34 56	$28.0 \\ 23.9 \\ 69.3$	
Hinganghat abalpur Khandwa	•	•	•	,	218	28 186 15	35 · 2 44 · 4 14 · 2	Į.	i ··	i		2 32 1 <b>2</b>	i2 0	1 5	•••	10 77 19	$15 \cdot 3$ $18 \cdot 4$ $18 \cdot 0$	
Camptee Curwera†	•	•	•	•	33	18	28.			••	••	1				9	14 · 2	•
Vagpur .	.•	•	•	•	483	239 17	25· 20·		••			. 3			· · · · · · · · · · · · · · · · · · ·		20 · 1 8 · 5	1'
reotmal .	•	•	•	•		27						. 6		8.		. 20 2 <b>532</b>	27·4 21·5	4.1
•	10	)TAIL	•	•	1,285	815	33.0	J	1	1	***	100	J	0 1	0 2	. 002	21.0	Wit
Mad	iras							Re	tu <b>rn</b> ne	ot recei	ved.							
Ori	<b>448</b>							Re	eiurn n	ot rece	ived.							
	P	ıv <b>j</b> ab	(I)															
Ambela† Amritsar Satalo	:	:	•	•	81 <b>7</b> 59	186 <b>84</b>	30 · 6 30 · 0			::		5 7	9	20		-		
Bhiwani Ferosepore Hissar	:	:	•		54 41 87	69 24 31	66 • 6 30 • 5 43 • 7		••	•••	••	18 2 8	1 2 	8 ] ]		. 10		7
Hoshiarpur Jullundur		·	:	•	48 182	25 90 26	12·7 25·8		••	••		2 6	2	 ī		. 1		2
Kernal		•	•	•	61	26	$22 \cdot 2$		• •		_	-		1			2 1.7	(

sufficiently reliable for calculating the birth and death rates.

<sup>&#</sup>x27;Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholers; S.=Smallpox; P.=I lague; F.=Fevers; D.D.=Ly.
Bentery and Diarrhoss; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; L.D.=Infantile Deaths (included in total deaths)

irths, and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending he 17th October, 1953 -contd.

								Deaths from :									
	To	awo			Mid-year Popn. Es (000)	t, B.	B.R.*	c.	s.	P.	P,	D.D.	R.D.	M.D.	Total	D.R.• (	<b>o</b>
		Punja	ab (I)-	-cont	d.												
Ludhians Moga Panipat	:	:	:	•	164 39 59	97 20 32	30 · 8 26 · 7 28 · 3	••	**	••	17 2 1	•••	••	••	21 7 2	6 · 7 9 · 4 1 · 8	3 ••
Pathankot Rewari Rohtak	:	:	•		33 <b>35</b> <b>78</b>	21 28 47	$33 \ 2 \ 41 \cdot 7 \ 33 \cdot 6$		••		3 4 6	 1 2	 1	ï	3 7 17	4·7 10·4 12·1	ı ï
§imla Sonepat	•		•	•	47 31	18 29	20·0 48 8	**	••	••	3	••2	1	::	8 8	8·5 18·5	1
		т	OT <b>AI</b>	•	1,280	777	31 7	n &	• •	***	84	19	35	2	221	9.0	68
បម	ar i	Prader	h														
Agra Aliahabad Amroha				•	352 329 60	216 192 45	32·0 30·4 39 1	••	••	••	``1 6	10 4 4	54 27 4	2	118 88 21	$17 \ 5 \ 13 \cdot 9 \ 18 \cdot 2$	37 25 11
Bahraich Bailla Banaras	:		:	:	45 32 858	20 10 <b>325</b>	$23 \cdot 2 \\ 16 \cdot 3 \\ 47 \cdot 3$	•	••	••	4 2 78	1 1 2 }	1 1 11	::	8 10 2 <b>3</b> 4	9·3 16·3 34·1	1 54
Banda Bareilly Basti†	•	:	•	:	31 198	9 93	15·1 24 5	::	• •	••	9	1 3	8	••	5 32	8 4 8·4	1 13
Bijnor† Budaun Bulandshah	IF.,		•		5 <b>8</b> 39	$^{47}_{12}$	46·2 16 0	••			6 3	2			27 3		11
Chandausi Dehra Dun Etawah		:	•	:	39 1 <b>3</b> 0 62	$\frac{34}{30}$	45 5 12 0 40 4	••	::	 	5 4 8	1 ':	•• 3 0	••	7 15 27	9 4 6 0 22 7	3 3 9
Faizabad-A Farrukhab Farozabad	sjoJk ud-F	មវេទជម្រ	, , ,	•	81 78 71	55 46 31	35·4 30 1 22 8		**		7 3 5	. 1	$\begin{array}{c}2\\4\\1\end{array}$	••	15 21 10	$\begin{array}{c} \mathbf{9 \cdot 7} \\ \mathbf{14 \cdot 0} \\ \mathbf{7 \cdot 3} \end{array}$	5 7 2
Theziabed Chasipur Conda	:	•		•	<b>42</b> 86 34	25 33 25	31 0 49 2 38 3			••	5 6 3	 2	$\overset{2}{\cdots}$	:: -	8 13 5	$9 \cdot 9$ $19 \cdot 4$ $7 \cdot 7$	$\begin{matrix} 1 \\ 3 \\ 2 \end{matrix}$
Gorakhpar Hapur Hardwar†	•	•	•	•	131 46 60	40 23 46	15·9 26·1 40 0		:	 -	$\begin{smallmatrix}3\\2\\13\end{smallmatrix}$	4 2 1	3 3 	 	15 10 22	6·0 11·3 19 1	4 3 4
Hathrat Jaunpur Jhann				:	59 54 111	67 20 79	59 2 19 3 37 1	•••			15 5 23	7 2	$\begin{array}{c} 6 \\ 2 \\ 1 \end{array}$	2	35 15 33		$\begin{array}{c} 10 \\ 2 \\ 10 \end{array}$
Kanpur Kasganj Khurja				•	680 33 40	390 10 16	$29 \cdot 9$ $15 \cdot 8$ $20 \cdot 9$	· · · · · · · · · · · · · · · · · · ·		•••	149 3 4	31 ``i	41  1	 	391 3 10	30 · 0 4 · 7 13 0	10 <b>7</b>
Koil-Aliga Lucknow Mathura	rh				143 467 104	104 432 130	37·9 48·2 65·2		••		8 36 6	5 13 1	3 22 4	••	21 158 17	17.6	
Mau-Nath Meerut †		-		,	36 92	18 54	26 1 30 6	••			1 15	1 4		••	3 27	_	- •
Mirropur		паноп	<b></b> ;						• •	••	16	5	14	3			
Moradaba Muzaffarn Pilibhlt	d. agar		•	:	160 68 45	90 35 44	26 8 51 0	••	• •	••	7 6	•	2	•••	14 15	10·7 22·0	2 ) 4
Rampur Saharanp Sambhal	ur.	•	•	•	145 151 63	0 120 62	41-4 51-3	••		••	1 59 22	6	1 1 6		67 45	23·1 37·2	18 10
Shahjaha Sitapur	ոթ <b>ա</b>	•			₽9 <b>47</b>	17 28	31-1		• •	••	4	3 2			. `1	3 3 3	3
		•	LATOT		4,903	3,127	33 3	2	5		553	150	243	14	1,648	17-8	440

<sup>&</sup>quot;In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.='y. sentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Meternal Deaths; D.R.=Death Rate; i.D.=Pufantile Deaths 'included in total deaths).

Births and deaths from principal diseases in towns with a population of avec 40,000 to halfa for the week ending the 17th October, 1953-contd.

									I	Deaths fro	=					
Town			Pep	d-уеал pnЕнt. (000)	В.	B.R.•	O	8.	Р.	<b>P</b> .	D,D,	R,D.	м.D.	Total	D.R.•	I.D.
West	Bengal	ļ				F	leturn n	ot receiv	ed.							
	-					i	STATES	—(Part	<b>B</b> )							
Jammo	& Kash	mir	ſ			j	Roturns	not recei	ved.							
Madh	ya Bhar	at	ſ													
Муно	re State															
Bangalore City Davanagere Kolar Guld Field		:		$862 \\ 62 \\ 165$	631 22 £96	$\frac{38}{21 \cdot 6}$	••	••	••	10 3 3	52 1 2	- 66 3 3	••	$276 \\ 12 \\ 29$	16 · 6 11 · 8 9 · 1	••
Mysore City				266	205	40.1		••		. 10	5	3	1	62	12•1	
·	Total		1	,355	954	36.6				26	60	75	1	379	14.5	
PEPS	TT															
Patiala city				103	29	14.6		4.4	- •	9	1	1	1	22	11.1	11
Malerkotla † Bhatinda				36	7	10 · 1		••	••	1	••	••	• •	1	1.4	
Total			•	139	<b>3</b> 6	13•5		••		10	1	l	1	23	8.6	11
Rajast	1A1															
Alwar Bharatpur . Bikaner †	: <b>:</b>	•		59 38	26 10	$\begin{array}{c} 22 \cdot 9 \\ 13 \cdot 9 \end{array}$	<del></del>	••	•••	4	:	ï	··.	8	5·3 10.9	••
Churu Ganganagar Tonk	: :	· ·		44 41 44	5 4 5	5 · 9 5 · 1 5 · 9		•••	 -	1 3 2		•••		1 8 3	1 · 8 10 · 1 3 · 5	
Sıkar . Jaipur . Udaipur .	: :	•		47 318 97	18 98 16	$199 \\ 15 \cdot 7 \\ 8 \cdot 6$		*** * *	•	4 25 4	ii 	. <u>. 7</u>	) 1	9 61 7	3·8 10 0 3·8	31 1
Kotah†	TOTAL		,	688	182	13.7		=		43	14	5	3	103	7 · 8	33
Saurash	tra															
Bhavnagar , Dhoraji , Jamnagar ,	•	:	:	146 45 112	85 17 28	19 6 19 6 13 0	: <u>:</u>	••		$18 \\ 6 \\ 12$	2 •	2 1 3	••	38 11 32	13·5 12·7 14·9	7  8
Junagadh • Morvi • Porbandar •	:	:	:	64 42 61	35 18 34	$28 \cdot 4$ $22 \cdot 3$ $29 \cdot 0$	••		••	13 6 12	I 4 2	1 4 1	1 	26 14 26	$21 \cdot 1 \\ 17 \cdot 3 \\ 22 \cdot 2$	8 2 9
Rajkot . Surendranagar Veraval	•	:	:	147 38 43	74 7 10	$26 \cdot 2$ $9 \cdot 6$ $12 \cdot 1$	••	•••	••	33 3	6	0 2		66 2 8	23 · 4 2 · 7 9 · 7	16 2 3
	TOTAL	•	•	698	<b>27</b> 8	20.7	••	-	• •	103	18	20	4	2 <b>23</b>	16.6	55
Travano	ore-Cocl	h <b>in</b>												a	0.4	
Alleppey Chenganacherry Ernakulam	:	:	:	130 38 66	40 12 81	$16 \cdot 0 \\ 16 \cdot 4 \\ 24 \cdot 4$	•••	• •	••	1 2			••	6 2 16	2·4 2·7 12·6	1 1 1
Mattancherry	· ·	: :	•	47 78 86	5 13 45	5·5 8·7 25·9	•	. 8		2 1	··· 3	3 1	•••	1 22 10	1 · 1 14 · 7 6 0	5 1
Quilon Trichur Trivandrum Cit	y :	:	:	$70 \\ 78 \\ 201$	12 26 54	8 · 9 18 · 5 14 · 0	•	••	::	i 2	3 4	3 2		1 15 19	0 · 7 10 · 7 4 · 9	2
	То	TAL	٠	789	238	15·7	RH AD	8 RETUR	 NS	9	12	9	••	92	7.3	12
Assam								d October								
Gauhati			:	47 41	9 6	10·0 7 6			••	$\frac{2}{\cdot \cdot}$		• 1	••	9 2 8	10 0 2 5 10 • Q	
Silchar	. • То	DTAL	•	38 126	17 32	23 3 13·2	• • •			2	1	I		8 19	7.8	1

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholora; S=Smallpor; P=Plague: F=Fevers; D D.=Dysentery and Diarrhœa; R.D.=Respiratory Diseases; M.D.=Maternel Deaths; D.R.=Death Rate; I,D=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week onning the 17th October, 1953—contd.

											Deaths:	from :					
	Το	W.D		Pop	l-year n. Est. 000)	В.	B.R.*	с.	8.	Ρ,	₽.	D.D.	R.D.	M,D.	Total	D.R.	LD
Oria	<b>48</b>						Fo	r w/o ti	he 3rd O	ctobe <b>r,</b> .	1958						
Berhampur Cuttaek Puri	<b>:</b>	:	•	•	67 109 51	$\begin{array}{c} 62 \\ 131 \\ 22 \end{array}$	$\begin{array}{c} 48 \cdot 2 \\ 02 \cdot 6 \\ 22 \cdot 5 \end{array}$		 	-	3 5 8	2 5 4	4 8 1	1 1 -	27 59 24	21·0 28·2 24·5	7 19 6
		То	TAL	•	227	215	49.2	••	• •	-	16	11	10	2	110	25·2	32
	PEP	Ū															
Malerkotla C Malerkotla C			3 10-8 10-10-		38 33	38 21	59•7 33•0	_	<b>-</b>	-	18 4	••	1	•	21 4	83·1	5
Assa	m			_													
Gauhati .	•	w/e	19-9-5	3	47	19	21.0	••	••	-	3	2	6-ts	1	16	17.0	1
Pun	fab (1	T)															
Rewarı Simla .	•		10-10- 10-10-		35 47	26 21	38·7 23·3	••	•••	-			1 2	::	12 5	17 9 5·5	3 2
Mad	hya I	rades	h														
Wardha Hinganghat Wardha .	٠	$\mathbf{w}/\mathbf{e}$	25-7-5 25 7 5 1-8-53	3	43 34 43	26 10 19	31·4 15·3 23·0	 	···	:: -	1  1	 1 1	1 1 1		9 5 7	10 · 9 7 · 6 8 · 5	
Hinganghat Wardha Hinganghat		w/e	1-8-53 15-8-5 15-8-5	8	34 48 34	20 28 22	30 • 6 33 • 9 33 • 6	1 1	••	-	2 2 3	1 1 ••	1  1	••	4 8 5	6 · 1 9 · 7 7 · 6	ïi
Nagpur Kamptee Wardha .		w/e	10-10- 10-10- 10-10-	53	483 33 43	178 14 23	$19 \cdot 2$ $22 \cdot 1$ $27 \cdot 8$	••	·· -	4.4 8-4	46 0 4	8 3 1	22 2		144 12 6	18.8 18.9 7.8	18 ·• 2
Hinganghat Gondra .	•	w/e w/e	10- <b>1</b> 0- 10-10	<b>53</b> 53	\$4 41	26 43	39 · 8 54 · 5			11	$\frac{2}{6}$	<u>1</u>	1		9 8	13·8 10·1	
Wea	t Ben	al					For	w/e the	5th Sep	tember,	1953						
Asansol Baidyabatı Bally .	:	•	:	:	80 32 63	5 14 2	$\begin{array}{c} {\bf 3 \cdot 3} \\ {\bf 22 \cdot 8} \\ {\bf 1 \cdot 7} \end{array}$	••	<u>:-</u>	· ·	••	ʻi ••		 	4 4 2	$2 \cdot 6$ $6 \cdot 5$ $1 \cdot 7$	2 1
Bankura Baranagar Basirhat	•			:	49 83 37	23 36 8	$24.5 \\ 22.6 \\ 11.3$	1 	···		 2	9 1	 4 	••	$\begin{array}{c}2\\25\\1\end{array}$	2.1 15·7 1·4	••
Berhampur Bhadreswar Bhatpara		:	•	•	59 33 138	42 14 48	$\begin{array}{c} 37 \cdot 1 \\ 22 \cdot 1 \\ 16 \cdot 2 \end{array}$	•••	<u></u>	~ :	 11	4  3	2 2 2	•• •• ••	28 3 32	$24 \cdot 7 \\ 4 \cdot 7 \\ 12 \cdot 1$	8 1 5
Budge-Budge Burdwan Calcutta	· ·	•	:	:	32 78 2,825	11 18 1,418	$17 \cdot 9$ $12 \cdot 0$ $26 \cdot 2$	• • • • • • • • • • • • • • • • • • • •	••	-	1 2 86	1 8 101	2 168	1 6	6 9 759	9 8 6·0 14·0	1 202
Champdani Cooch Behar Darjeeling	•	:	•	:	39 37 35	16 34 20	21·4 47·9 20·8	••	::	:: -	·	••	:	1 ••	<b>2</b> <b>9</b> 10	2·7 12·7 14·9	4
English-Baza Garden Read Hooghly-Chir	b		:	:	38 116 58	82 11 79	$129 \cdot 6 \\ 4 \cdot 9 \\ 71 \cdot 0$	::	 	••	3 3 3	1 1 3	3 1	••	15 11 13	23 · 7 4 · 9 11 · 7	2
Howrah Jalpaiguri Kamarhati†	:	:	:	:	458 45	206 12	23 • 5 13 • 9		::		9 2 ,	<b>3</b> 5	87 1	• •	156 7	17:8 8:1	52
Kanchrapara Krishnagar Midnapore	•	:	:	·:	64 52 44	$27 \\ 1 \\ 28$	$22 \cdot 0 \\ 1 \cdot 0 \\ 33 \cdot 2$	<del>-</del> :	<del></del>	<u>:</u> :	1 2	••	••	- :i	$\frac{\cdot \cdot}{2}$ 10	2:0 11 9	1 1
Nabadwip Naihati North Barrac	kpore		•	:	62 58 34	38 5 3	32·0 4·5 4·6	 	••	 	1	.3	1 4 	·· 	14 8 5	$11.8 \\ 7.2 \\ 7.7$	

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Sinallpox; P.—Plague; F.—Fovers; D.D.—Dysentery and Diarrhœa; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

1 17ths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th October, 1953—contd.

								Deaths from t-									
T	own				<b>Mid</b> -year						,	<del></del>	<del></del>				
•	OWII				PopaE*t.	B.	B. R.*	0.	8.	P.	F.	D.D.	B.D.	M,D.	Total	D.R.*	I,D,
Weg	t Ben	gal—	contd.														
Panihati					58	8	7.2	_	_	***		1	12.0		4	3 · B	
Shantipur	•	•		•	46	14	15.9	_	_	***	1	1	•:	• •	7	7 • 9	4.1
Serampore	•	•	•	•	78	55	86 · 8	• •	-	-	6	6	3	- •	26	$17 \cdot 4$	9
Siliguri					87	11	15.5				2	1			8	4.2	
South Dum-			•	•	71	2	1.5				• •	••		• •			
South Subur	ban	•	•	•	112	47	21-9	• •	• •	••	1	2	5	1	20	9 · 3	_
Titagarh	•	•	•		74	26	18•3	***		-	18	1	2		18	12.7	••
	Tota	L	•	•	5,120	2,359	<b>52 · 2</b>	2		_	166	179	239	10	1,215	12.3	282
	Bihai	•						For w	e the 3	0th May	, 1983						
Arrah ·					68	13	9.9	5			3	2			7	5.4	• •
Bettiah . Bhagalpur†	•	•	•	•	37	9	12.7	ш.		••	2	3	•••	••	5	7.0	
Bihar					65	7	5.6			٠.	2			••	2	1.6	
Chapra	·	·	·	·	67	11	8.5			• • •	2	ì			3	2 · 3	
Darbhanga	•	٠	•		88	16	9.5	• •	••		б	**	••		8	$4 \cdot 7$	• •
Dinapur Niz	e.met				45	4	4.6	.,	***		3				3	3,5	
Dhanbad		•	•	•.	37	7	9.8	٠,		•••	2	••	• • •		ដ	7.0	- •
Gaya	•	•		•	141	30	11.1		• •	••	20	8	14		63	23.3	• •
Jamalpur					45	4	4.6				2				2	2 · 3	
Jamahedpur	•	•	•	•	232	111	24.8			• •	ธ์	2	7	••	24	5.4	3
Monghyr		•	•	•	76	111	7.5	• •		• •	3			***	5	3 4	
Mongnyi	•	•	•	•	,,			• • •	••	••	•	••	•	••	•		-
Muzaffarpur Patna†		•	•		79	14	9.2	••		••	3	2	••	••	5	3.3	••
Ranchi	•	•	•	•	118	21	9.3	• •	4.00	••	3	2	••	• •	7	3 - 1	••
Purulia Katihar†	•	•	•	•	44	5	5.9		••	-	2	••	••	•4	2	2 · 4	••
	Tor	ΑL			1,142	263	11•2		. <b></b>	••	57	20	21		141	6 · 2	3

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be ufficiently reliable for calculating the birth and death rates.

### †Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Pevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases: M.D.—Maternal Deaths; D.R.—Death Rate; L.D.—Infantile Deaths (included in total deaths).

#### REMARKS

The figures of births and deaths shown in this statement for week ending the 17th October 1983, relate to 157 towns with an estimated population of 17,728 thousands. The total number of towns is 296 and their population is 36,160 thousands. Thus 55% of the total number of towns representing 49% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 10,837 and 5,175 representing birth and death rates of 31.8 and 15.2 per thousand of population respectively.

(A) States (Parts A & C):—The data here relate to 125 towns with an estimated population of 14,059 thousands. Information about Assam, Bihar, Madras, Orissa and West Bengal could not be included. The total number of towns is 250 and their population is 30,810 thousands. Thus 50% of the total number of towns representing 46% of the total population is covered. The numbers of births and deaths recorded in these towns were 9,149 and 4,355 representing

birth and death rates of 33.8 and 16.1 per thousand of population respectively. The table at the end gives the position by States.

Chanda in Madhya Pradesh was the only town which had a high death rate of 69·3 per thousand of population and the high death rate was mainly due to deaths from respiratory diseases.

(B) States (Part B):—The data here relate to 32 towns with an estimated population of 3,669 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 70% of total number of towns representing 69% of total population is covered. The numbers of births and deaths recorded in these towns were 1,688 and 820 representing birth and death rates of 23.9 and 11.6 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w	e/e 17-10-53	Corresponding	w/e la≅t year	Corresponding to previous 5-y	nean during the ear period
	B. R.	D. R.	B. R.	D. R.	B, R.	D. B
Ajmer	, 15 7	6 9	$16 \cdot 7$	12.2	$42 \cdot 0$	13 7
Andhra	. 32.1	15 2	†	†	†	+
Bombay .	. 37-8	19.8	$37 \cdot 2$	$16 \cdot 2$	40.5	19-0
Delhi .	. 33.7	6.5	36 3	6 0	49.3	14.0
Madhya Fradesh	33 O	21.5	33.0	16 7	41.5	21.6
Punjab (I)	. 31 7	9.0	32 • 9	11.0	39.4	12.1
Ottar Pradesh .	33 3	17.5	40.3	19.2	$42 \cdot 2$	20.8
India (only States	. 33.8	16-1	36 • 4	15.9	39 • 3	$19 \cdot 2$

f Figures not available.

New Delhi, 2 (India);
The 9th November, 1953

K. MITRA,
for Registrar General, India